

# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 4,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,50 - 4,07  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 4,00		3,65	275	2,20	0,05	3,75	0,10	4,10	0,10	5,20	0,10
1005 5,00		3,89	300	2,35	0,05	3,70	0,10	3,90	0,10	5,20	0,10

Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Insulation Range  $\Phi$ [mm]: 3,70 - 4,07  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 5,00		3,89	300	2,35	0,05	3,70	0,10	3,90	0,10	5,20	0,10

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (S) SOLDER - CRIMP AND SWEAT - CORE IS DIP SOLDERED  
 Insulation Range  $\Phi$ [mm]: 3,70 - 4,07  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 5,00		3,89	300	2,35	0,05	3,70	0,10	3,90	0,10	5,20	0,10

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Insulation Range  $\Phi$ [mm]: 3,70 - 4,07  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 5,00		3,89	300	2,35	0,05	3,70	0,10	3,90	0,10	5,20	0,10

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005 + 1005  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 0,80 + 1005 2,00		2,03 + 2,58	90	2,05	0,05	3,70	0,10	3,20	0,10	5,40	0,10
1005 1,00 + 1005 1,00		2,23 + 2,23	120	1,95	0,05	3,65	0,10	3,30	0,10	5,30	0,10
1005 1,00 + 1005 2,00		2,23 + 2,58	120	2,10	0,05	3,70	0,10	3,30	0,10	6,20	0,20
1005 1,00 + 1005 3,00		2,23 + 3,13	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20
1005 2,00 + 1005 2,00		2,58 + 2,58	190	2,25	0,05	3,75	0,10	3,50	0,10	6,10	0,20
1005 2,00 + 1005 3,00		2,58 + 3,13	180	2,40	0,05	3,70	0,10	4,60	0,10	5,40	0,10

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1005 + 1005  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 2,00 + 1005 2,00		2,58 + 2,58	190	2,25	0,05	3,75	0,10	3,50	0,10	6,10	0,20

## Cable type code legend:

1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1005 + 1007  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 1,00 + 1007 1,00		2,23 + 2,58	120	1,95	0,05	3,65	0,10	3,30	0,10	5,30	0,10
1005 1,00 + 1007 2,00		2,23 + 2,98	120	2,10	0,05	3,70	0,10	3,40	0,10	6,20	0,20
1005 1,00 + 1007 3,00		2,23 + 3,63	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20
1005 2,00 + 1007 2,00		2,58 + 2,98	190	2,25	0,05	3,75	0,10	3,20	0,10	6,10	0,20



## Cable type code legend:

### 1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1005 + 1007  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 1,00 + 1007 3,00		2,23 + 3,63	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20



## Cable type code legend:

### 1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1005 + 1007  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 2,00 + 1007 2,00		2,58 + 2,98	190	2,25	0,05	3,75	0,10	3,20	0,10	6,10	0,20



## Cable type code legend:

### 1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,45 - 4,70  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00		3,63	250	2,15	0,05	3,70	0,10	4,20	0,10	5,30	0,10
1007 5,00		4,45	300	2,35	0,05	3,70	0,10	4,40	0,10	5,30	0,10

Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Insulation Range  $\Phi$ [mm]: 3,45 - 4,70  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 3,00		3,63	250	2,15	0,05	3,70	0,10	4,20	0,10	5,30	0,10
1007 5,00		4,45	300	2,35	0,05	3,70	0,10	4,40	0,10	5,30	0,10

Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007  
 Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED  
 Insulation Range  $\Phi$ [mm]: 4,20 - 4,70  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 5,00		4,45	300	2,35	0,05	3,70	0,10	4,40	0,10	5,30	0,10

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1005  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 1,00 + 1005 2,00		2,58 + 2,58	120	2,10	0,05	3,70	0,10	3,40	0,10	6,20	0,20
1007 1,00 + 1005 3,00		2,58 + 3,13	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1005:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, PVDF, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007 + 1007  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,80 + 1007 1,00		2,33 + 2,58	90	1,90	0,05	3,70	0,10	3,10	0,10	5,30	0,10
1007 0,80 + 1007 2,00		2,33 + 2,98	90	2,05	0,05	3,70	0,10	3,20	0,10	5,40	0,10
1007 1,00 + 1007 1,00		2,58 + 2,58	120	1,95	0,05	3,65	0,10	3,30	0,10	5,30	0,10
1007 1,00 + 1007 2,00		2,58 + 2,98	120	2,10	0,05	3,70	0,10	3,50	0,10	6,20	0,20
1007 1,00 + 1007 3,00		2,58 + 3,63	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20
1007 2,00 + 1007 2,00		2,98 + 2,98	190	2,25	0,05	3,75	0,10	3,50	0,10	6,10	0,20

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1007 + 1007  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,80 + 1007 2,00		2,33 + 2,98	90	2,05	0,05	3,70	0,10	3,20	0,10	5,40	0,10
1007 1,00 + 1007 2,00		2,58 + 2,98	120	2,10	0,05	3,70	0,10	3,50	0,10	6,20	0,20
1007 1,00 + 1007 3,00		2,58 + 3,63	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20
1007 2,00 + 1007 2,00		2,98 + 2,98	190	2,25	0,05	3,75	0,10	3,50	0,10	6,10	0,20

## Cable type code legend:

1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1009  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,80 + 1009 2,00		2,33 + 3,73	90	2,05	0,05	3,70	0,10	3,50	0,10	6,30	0,20
1007 1,00 + 1009 2,00		2,58 + 3,73	120	2,10	0,05	3,70	0,10	3,60	0,10	6,20	0,20
1007 1,00 + 1009 3,00		2,58 + 4,13	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20
1007 2,00 + 1009 2,00		2,98 + 3,73	190	2,25	0,05	3,75	0,10	3,50	0,10	6,60	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00 | 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1007 + 1009  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1007 0,80 + 1009 2,00		2,33 + 3,73	90	2,05	0,05	3,70	0,10	3,50	0,10	6,30	0,20
1007 1,00 + 1009 2,00		2,58 + 3,73	120	2,10	0,05	3,70	0,10	3,60	0,10	6,20	0,20
1007 1,00 + 1009 3,00		2,58 + 4,13	120	2,30	0,05	3,70	0,10	3,60	0,10	6,30	0,20
1007 2,00 + 1009 2,00		2,98 + 3,73	190	2,25	0,05	3,75	0,10	3,50	0,10	6,60	0,20



## Cable type code legend:

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 4,00 - 5,33  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 3,00		4,13	250	2,15	0,05	3,70	0,10	4,20	0,10	5,30	0,10
1009 5,00		5,07	300	2,35	0,05	3,70	0,10	4,40	0,10	5,30	0,10

Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 3,00 | 5,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Insulation Range  $\Phi$ [mm]: 4,00 - 5,33  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 3,00		4,13	250	2,15	0,05	3,70	0,10	4,20	0,10	5,30	0,10
1009 5,00		5,07	300	2,35	0,05	3,70	0,10	4,40	0,10	5,30	0,10

Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1009 + 1007  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,80 + 1007 2,00		2,78 + 2,98	90	2,05	0,05	3,70	0,10	3,50	0,10	6,30	0,20



## Cable type code legend:

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1007:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPA/PVDF, XLPE  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009 + 1009  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,80 + 1009 1,00		2,78 + 3,17	90	1,90	0,05	3,70	0,10	3,40	0,10	5,40	0,10
1009 1,00 + 1009 1,00		3,17 + 3,17	120	1,95	0,05	3,65	0,10	3,30	0,10	6,30	0,20
1009 1,00 + 1009 2,00		3,17 + 3,73	120	2,10	0,05	3,70	0,10	4,10	0,10	6,30	0,20
1009 2,00 + 1009 2,00		3,73 + 3,73	190	2,25	0,05	3,75	0,10	3,50	0,10	6,60	0,20

## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1009 + 1009  
 Crimp Process: (R) SOLDER - REFLOW [NON-SIR CIRCUIT] CORE IS DIP SOLD  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 1,00 + 1009 1,00		3,17 + 3,17	120	1,95	0,05	3,65	0,10	3,30	0,10	6,30	0,20
1009 1,00 + 1009 2,00		3,17 + 3,73	120	2,10	0,05	3,70	0,10	4,10	0,10	6,30	0,20
1009 2,00 + 1009 2,00		3,73 + 3,73	190	2,25	0,05	3,75	0,10	3,50	0,10	6,60	0,20

## Cable type code legend:

1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,80 | 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1009 + 1094  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1009 0,80 + 1094 1,00		2,78 + 3,03	90	1,90	0,05	3,70	0,10	3,40	0,10	5,40	0,10



## Cable type code legend:

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL

### 1094:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1011  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 4,50 - 4,70  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1011 3,00		4,60	250	2,15	0,05	3,70	0,10	4,20	0,10	5,30	0,10

## Cable type code legend:

1011:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 1094 + 1009  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1094 1,00 + 1009 1,00		3,03 + 3,17	120	1,95	0,05	3,65	0,10	3,30	0,10	6,30	0,20
1094 1,00 + 1009 2,00		3,03 + 3,73	120	2,10	0,05	3,70	0,10	4,10	0,10	6,30	0,20



## Cable type code legend:

### 1094:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY

### 1009:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: SPECIAL



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 1094 + 1094  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1094 1,00 + 1094 1,00		3,03 + 3,03	120	1,95	0,05	3,65	0,10	3,30	0,10	6,30	0,20

Cable type code legend:

1094:

Industry Designator: SAE  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: HEAVY DUTY



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,75 | 1,50



*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2005 + 2005  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2005 0,75 + 2005 1,50		1,90 + 2,40	85	2,00	0,05	3,55	0,10	3,10	0,10	6,00	0,10

## Cable type code legend:

2005: FLR2X (SAAB C)  
 Industry Designator: ISO  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 2010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,20 - 3,70  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 4,00		3,45	350	2,30	0,05	3,60	0,10	4,20	0,10	4,75	0,10

## Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B



Industry Designator: DIN

Conductor Material: COPPER

Conductor Plating: NONE

Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC

Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,75 | 1,00 | 2,00 | 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 2010 + 2010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 0,75 + 2010 2,00		1,75 + 2,46	172	2,00	0,05	3,60	0,10	3,65	0,10	4,75	0,10
2010 1,00 + 2010 1,00		1,95 + 1,95	120	1,85	0,05	3,60	0,10	3,30	0,10	5,30	0,10
2010 1,00 + 2010 2,00		1,95 + 2,46	220	2,10	0,05	3,60	0,10	4,15	0,10	4,75	0,10
2010 1,00 + 2010 4,00		1,95 + 3,45	171	2,35	0,05	3,70	0,10	4,50	0,10	4,80	0,10

## Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B

Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 3,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 3002  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,40 - 3,80  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
3002 3,00		3,60	250	2,10	0,05	3,65	0,10	4,00	0,10	5,20	0,10

Cable type code legend:

3002:

Industry Designator: JIS/JA  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPVC  
 Insul. Wall Designator: REGULAR



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 0,85 | 2,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 3004 + 3003  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
3004 0,85 + 3003 2,00		1,80 + 2,65	90	2,10	0,05	3,65	0,10	3,80	0,10	5,20	0,10

## Cable type code legend:

3004: AVSS  
 Industry Designator: JIS/JA  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, XLPE, X-PVC  
 Insul. Wall Designator: THIN

3003: AVSS  
 Industry Designator: JIS/JA  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PVC, X-PVC  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 4,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*



Cable Type codes: 8000  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Insulation Range  $\Phi$ [mm]: 3,40 - 3,70  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
8000 4,00		3,55	275	2,20	0,05	3,70	0,10	4,00	0,10	5,20	0,10

## Cable type code legend:

8000:

Industry Designator: N/G  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SYNTHRESIN  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00

*This document is non-contractual  
 and for information only.  
 For more information, please  
 consult your local sales office*

Cable Type codes: 8000 + 2010  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
8000 1,00 + 2010 1,00		2,00 + 1,95	120	1,85	0,05	3,60	0,10	3,30	0,10	5,30	0,10

## Cable type code legend:



8000:

Industry Designator: N/G  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SYNTHRESIN  
 Insul. Wall Designator: THIN

2010:

ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B

Industry Designator: DIN  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC  
 Insul. Wall Designator: THIN



# Crimp Information Sheet

Terminal Part Number: 12084588  
 Surface Plating: SN  
 Material Thickness [mm]: 0,41  
 Cross Section [mm<sup>2</sup>]: 1,00

*This document is non-contractual  
 and for information only.*

*For more information, please  
 consult your local sales office*

Cable Type codes: 8000 + 8000  
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY  
 Seal(s): NONE

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
8000 1,00 + 8000 1,00		2,00 + 2,00	120	1,85	0,05	3,60	0,10	3,30	0,10	5,30	0,10

Cable type code legend:

8000:

Industry Designator: N/G  
 Conductor Material: COPPER  
 Conductor Plating: NONE  
 Insul. Material: SYNTHRESIN  
 Insul. Wall Designator: THIN

